

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2018 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



| BRAND NAME | SAE VISCOSITY GRADE | SERVICE CATEGORY | PERFORMANCE DESIGNATION |
|--|---------------------|---------------------|-------------------------|
| EVEREST SEMI SYNTHETIC | 5W-30 | SN | Resource Conserving |
| EVEREST | 10W-40 | SN | |
| EVEREST | 10W-30 | SN | Resource Conserving |
| EVEREST | 5W-30 | SN | Resource Conserving |
| EVEREST | 15W-40 | CJ-4, CI-4, CH-4/SM | CI-4 PLUS |
| EVEREST | 20W-50 | SN | |
| EVEREST | 5W-40 | SN | |
| EVEREST | 0W-40 | SN | |
| EVEREST 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 10W-40 | SN | |
| EVEREST 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 20W-50 | SN | |
| EVEREST ADVANCED HD | 15W-40 | CK-4 | |
| EVEREST ADVANCED HD | 10W-30 | CK-4 | |
| EVEREST ADVANCED HEAVY DUTY SYN BLEND | 10W-30 | FA-4 | |
| EVEREST EURO ACEA FULL SYN | 5W-40 | SN | |
| EVEREST EXTREEM HEAVY DUTY | 15W-40 | CK-4, CJ-4 | |
| EVEREST FULL SYN | 10W-40 | SN | |
| EVEREST FULL SYN | 5W-40 | SN | |
| EVEREST FULL SYN | 5W-20 | SN | Resource Conserving |
| EVEREST FULL SYN | 5W-30 | SN | Resource Conserving |
| EVEREST FULL SYN | 10W-30 | SN | Resource Conserving |
| EVEREST FULL SYN | 0W-20 | SN | Resource Conserving |
| EVEREST FULL SYN | 0W-30 | SN | Resource Conserving |
| EVEREST FULL SYNTHETIC | 0W-40 | SN | |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital

EOLCS Manager of Operations

Date: 15-Jun-2017

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
U.S. GLOBAL PETROLEUM, INC.
 may be used through 31-Mar-2018 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



| BRAND NAME | SAE VISCOSITY GRADE | SERVICE CATEGORY | PERFORMANCE DESIGNATION |
|--|---------------------|---------------------|-------------------------|
| EVEREST FULL ULTRA SYNTHETIC | 5W-30 | SN | Resource Conserving |
| EVEREST FULL ULTRA SYNTHETIC | 5W-20 | SN | Resource Conserving |
| EVEREST HEAVEY DUTY SYN BLEND | 10W-30 | CJ-4/SN | |
| EVEREST HEAVY DUTY SYN BLEND | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| EVEREST SEMI SYNTHETIC | 5W-20 | SN | Resource Conserving |
| EVEREST SEMI SYNTHETIC | 10W-30 | SN | Resource Conserving |
| EVEREST SEMI SYNTHETIC | 10W-40 | SN | |
| EVEREST SEMI SYNTHETIC | 20W-50 | SN | |
| EVEREST SYN BLEND | 10W-40 | SN | |
| EVEREST SYN BLEND | 10W-30 | SN | Resource Conserving |
| EVEREST SYN BLEND | 5W-30 | SN | Resource Conserving |
| EVEREST SYN BLEND | 5W-20 | SN | Resource Conserving |
| EVEREST SYN BLEND | 0W-20 | SN | Resource Conserving |
| EVEREST TBN CP-11 | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| EVEREST ULTRA FULL SYN | 10W-30 | SN | Resource Conserving |
| GLODEN STALLION HEAVY DUTY FULL SYN BLEND | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| GOLDEN 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 20W-50 | SN | |
| GOLDEN STALLION 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 10W-40 | SN | |
| GOLDEN STALLION 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 20W-50 | SN | |
| GOLDEN STALLION ADVANCED HEAVY DUTY SYN BLEND | 10W-30 | FA-4 | |
| GOLDEN STALLION EURO ACEA FULL SYN | 5W-40 | SN | |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), and the API Service Symbol (“Donut”) are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital

Kevin Fenick

EOLCS Manager of Operations

Date: 15-Jun-2017

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
U.S. GLOBAL PETROLEUM, INC.
 may be used through 31-Mar-2018 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



| BRAND NAME | SAE VISCOSITY GRADE | SERVICE CATEGORY | PERFORMANCE DESIGNATION |
|--|---------------------|---------------------|-------------------------|
| GOLDEN STALLION EXTREEM HEAVY DUTY SYN BLEND | 15W-40 | CK-4, CJ-4 | |
| GOLDEN STALLION FULL SYN | 0W-20 | SN | Resource Conserving |
| GOLDEN STALLION FULL SYN | 5W-20 | SN | Resource Conserving |
| GOLDEN STALLION FULL SYN | 10W-30 | SN | Resource Conserving |
| GOLDEN STALLION FULL SYN | 0W-30 | SN | Resource Conserving |
| GOLDEN STALLION FULL SYN | 5W-30 | SN | Resource Conserving |
| GOLDEN STALLION HD SYN BLEND CP-11 | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| GOLDEN STALLION HEAVY DUTY SYN BLEND | 10W-30 | CJ-4/SN | |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 5W-30 | SN | Resource Conserving |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 10W-30 | SN | Resource Conserving |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 5W-20 | SN | Resource Conserving |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 15W-40 | CJ-4, CI-4, CH-4/SJ | CI-4 PLUS |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 10W-40 | SM | |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 10W-40 | SN | |
| GOLDEN STALLION SYN BLEND | 0W-20 | SN | Resource Conserving |
| KRONOS PRISCUS SEMI-SINTETICO | 10W-30 | SN | Resource Conserving |
| KRONOS FILIUS SEMI-SINTETICO | 15W-40 | CK-4 | |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), and the API Service Symbol (“Donut”) are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital

Kevin Fernek

EOLCS Manager of Operations

Date: 15-Jun-2017

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2018 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



| BRAND NAME | SAE VISCOSITY GRADE | SERVICE CATEGORY | PERFORMANCE DESIGNATION |
|--|---------------------|---------------------|-------------------------|
| KRONOS PRISCUS SEMI-SINTETHICO | 20W-50 | SN | |
| MEGA SYN BLEND ULTRA HD | 10W-40 | SN | |
| MEGA SYN BLEND TITAN HD | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| MEGA SYN BLEND ULTRA ADVANCED FORMULA | 20W-50 | SN | |
| MIGHTY AUTO PARTS FULL SYN DEXOS | 0W-20 | SN | Resource Conserving |
| MIGHTY AUTO PARTS FULL SYN DEXOS | 5W-30 | SN | Resource Conserving |
| MIGHTY AUTO PARTS FULL SYN DEXOS | 5W-20 | SN | Resource Conserving |
| MIGHTY AUTO PARTS SYN BLEND | 10W-30 | SN | Resource Conserving |
| MIGHTY AUTO PARTS SYN BLEND | 5W-30 | SN | Resource Conserving |
| MIGHTY AUTO PARTS SYN BLEND | 5W-20 | SN | Resource Conserving |
| RADIX FULL SYN | 10W-40 | SN | |
| ROVER | 15W-40 | CJ-4, CI-4, CH-4/SM | CI-4 PLUS |
| ROVER | 5W-20 | SN | Resource Conserving |
| ROVER | 10W-40 | SN | |
| ROVER | 10W-30 | SN | Resource Conserving |
| ROVER 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 10W-40 | SN | |
| ROVER 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE | 20W-50 | SN | |
| ROVER ADVANCED HEAVY DUTY SYN BLEND | 10W-30 | FA-4 | |
| ROVER EURO ACEA FULL SYN | 5W-40 | SN | |
| ROVER EXTREEM HEAVY DUTY SYN BLEND | 15W-40 | CK-4, CJ-4 | |
| ROVER FULL SUPER SYN | 0W-20 | SN | Resource Conserving |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), and the API Service Symbol (“Donut”) are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital



EOLCS Manager of Operations

Date: 15-Jun-2017

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2018 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



| BRAND NAME | SAE VISCOSITY GRADE | SERVICE CATEGORY | PERFORMANCE DESIGNATION |
|--|---------------------|---------------------|-------------------------|
| ROVER FULL SYN | 5W-30 | SN | Resource Conserving |
| ROVER FULL SYN HD | 5W-40 | SN | |
| ROVER FULL ULTRA SYN | 0W-40 | SN | |
| ROVER HD SYN BLEND | 20W-50 | SN | |
| ROVER HEAVY DUTY | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| ROVER HEAVY DUTY TBN CP-11 | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| ROVER SYN BLEND | 5W-30 | SN | Resource Conserving |
| ROVER SYN BLEND | 0W-20 | SN | Resource Conserving |
| TIGER HEAD ADVANCED HEAVY DUTY SYN BLEND | 10W-30 | FA-4 | |
| TIGER HEAD EXTREEM HEAVY DUTY SYN BLEND | 15W-40 | CK-4, CJ-4 | |
| TIGER HEAD HD SYN BLEND CP-11 | 15W-40 | CJ-4, CI-4, CH-4/SN | CI-4 PLUS |
| TIGER HEAD SYN BLEND | 0W-20 | SN | Resource Conserving |
| TIGER'S HEAD | 5W-20 | SN | Resource Conserving |
| TIGER'S HEAD | 5W-30 | SN | Resource Conserving |
| TIGER'S HEAD | 10W-30 | SN | Resource Conserving |
| TIGER'S HEAD | 10W-40 | SN | |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital

Kevin Fernek

EOLCS Manager of Operations

Date: 15-Jun-2017

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
U.S. GLOBAL PETROLEUM, INC.
 may be used through 31-Mar-2018 are as follows:



API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

| BRAND NAME | SAE VISCOSITY GRADE | ILSAC DESIGNATION |
|--|---------------------|-------------------|
| EVEREST SEMI SYNTHETIC | 5W-30 | GF-5 |
| EVEREST | 10W-30 | GF-5 |
| EVEREST | 5W-30 | GF-5 |
| EVEREST FULL SYN | 5W-20 | GF-5 |
| EVEREST FULL SYN | 5W-30 | GF-5 |
| EVEREST FULL SYN | 10W-30 | GF-5 |
| EVEREST FULL SYN | 0W-20 | GF-5 |
| EVEREST FULL SYN | 0W-30 | GF-5 |
| EVEREST FULL ULTRA SYNTHETIC | 5W-30 | GF-5 |
| EVEREST FULL ULTRA SYNTHETIC | 5W-20 | GF-5 |
| EVEREST SEMI SYNTHETIC | 5W-20 | GF-5 |
| EVEREST SEMI SYNTHETIC | 10W-30 | GF-5 |
| EVEREST SYN BLEND | 10W-30 | GF-5 |
| EVEREST SYN BLEND | 5W-30 | GF-5 |
| EVEREST SYN BLEND | 5W-20 | GF-5 |
| EVEREST SYN BLEND | 0W-20 | GF-5 |
| GOLDEN STALLION FULL SYN | 0W-20 | GF-5 |
| GOLDEN STALLION FULL SYN | 5W-20 | GF-5 |
| GOLDEN STALLION FULL SYN | 10W-30 | GF-5 |
| GOLDEN STALLION FULL SYN | 0W-30 | GF-5 |
| GOLDEN STALLION FULL SYN | 5W-30 | GF-5 |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 5W-30 | GF-5 |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 10W-30 | GF-5 |
| GOLDEN STALLION SUPERIOR QUALITY SYN BLEND | 5W-20 | GF-5 |
| GOLDEN STALLION SYN BLEND | 0W-20 | GF-5 |
| KRONOS PRISCUS SEMI-SINTETICO | 10W-30 | GF-5 |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), and the API Service Symbol (“Donut”) are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital



EOLCS Manager of Operations

Date: 15-Jun-2017

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
U.S. GLOBAL PETROLEUM, INC.
 may be used through 31-Mar-2018 are as follows:



API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

| BRAND NAME | SAE VISCOSITY GRADE | ILSAC DESIGNATION |
|----------------------------------|---------------------|-------------------|
| MIGHTY AUTO PARTS FULL SYN DEXOS | 0W-20 | GF-5 |
| MIGHTY AUTO PARTS FULL SYN DEXOS | 5W-30 | GF-5 |
| MIGHTY AUTO PARTS FULL SYN DEXOS | 5W-20 | GF-5 |
| MIGHTY AUTO PARTS SYN BLEND | 10W-30 | GF-5 |
| MIGHTY AUTO PARTS SYN BLEND | 5W-30 | GF-5 |
| MIGHTY AUTO PARTS SYN BLEND | 5W-20 | GF-5 |
| ROVER | 5W-20 | GF-5 |
| ROVER | 10W-30 | GF-5 |
| ROVER FULL SUPER SYN | 0W-20 | GF-5 |
| ROVER FULL SYN | 5W-30 | GF-5 |
| ROVER SYN BLEND | 5W-30 | GF-5 |
| ROVER SYN BLEND | 0W-20 | GF-5 |
| TIGER HEAD SYN BLEND | 0W-20 | GF-5 |
| TIGER'S HEAD | 5W-20 | GF-5 |
| TIGER'S HEAD | 5W-30 | GF-5 |
| TIGER'S HEAD | 10W-30 | GF-5 |

Engine Oil Licensing and Certification System

1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2013 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2013-199 | Digital

Kevin Fernek

EOLCS Manager of Operations

Date: 15-Jun-2017