

USGLOBAL

PETROLEUM -

COMPANY PROFILE



















Welcome to US Global Petroleum!

US Global Petroleum is a manufacturer and a global distributor of API licensed quality lubricants, hydraulics and chemicals. We started our business in 2008 and expanded in 2011 by acquiring the Conoco Phillips plant in Franklin Park, Illinois, and since have enjoyed rapid business growth.

The plant was previously owned by both Shell and the Magie Brothers Oil Company, a name that has been in the oil business since 1900. The Magie Brothers Oil Company moved through several locations in the Chicago area in the 20th century with its last stop in Franklin Park, IL, where US Global is now operating. We are proud to be a part of that oil industry evolution and we merge it with the most innovative technology, equipment and knowledge base.

Today, US Global annually delivers more than 20 million liters of the finished product blended under precise supervision and quality control of US Global chemists and engineers. Our customers are wholesale automotive aftermarket distributors, retail chains, gas stations and government agencies that demand the best value from a reliable long-term business partner.

We offer the most competitive manufacturing prices and uncompromised "made in the USA" quality and service. We continuously develop a knowledge base for our customers to help them understand the latest technology trends in the industry. We sell more than oil - we offer ongoing customer support and build strong business relationships to grow our business together with our customers.

Our vision is to be a true partner to our customers and suppliers alike. So let us know how we can help you with your business, because your success is our success.

We welcome our business partners to tour our plant. Please contact the US Global sales team to schedule your visit.

US Global Team



♦ Team



US Global is a team of professionals with years of experience in the industry. We are proud to be an international, multi-language company and employ people of various cultures, races and religions without age and gender bias.

Competitive Advantage

- Customer Relationships
- Knowledge Base
- Team of professionals
- The most competitive manufacturing prices
- Uncompromised "Made in the U.S.A." quality

- Flexibility
- Prompt deliveries
- After sales support
- Value-added service

Our Markets

US Global focuses on developing new international markets. Our team provides expertise in import/export compliance and hazardous shipment handling.



North America

- Canada
- Mexico
- USA

Africa

- Burkina Faso
- Ghana
- Kenya
- Nigeria

Middle East and North Africa

- Egypt
- Iraq
- Israel
- Jordan
- Lebanon
- Libya
- _____
- Mauritania
- Palestine
- Morocco
- Qatar
- Saudi Arabia
- Turkey
- United Arab Emirates

Europe

Bosnia-Herzegovina

Asia

- Azerbaijan
- Bangladesh
- China
- Georgia
- Myanmar (Burma)
- Russia
- Turkmenistan
- Vietnam

Central America

- Costa Rica
- El Salvador
- Guatemala
- Honduras
- Panama

Caribbean

- Dominican Republic
- Jamaica

South America

- Bolivia
- Chile
- Ecuador
- Guyana
- Paraguay
- Peru



ISO 9001 :2015 - Quality Management System

ISO 45001 :2018 - The system of Management of Safety and Protection of Health at Work

ISO 14001: 2015 - Environmental Management System





- 5.9 acres
- Production facility
- 1 million gallons storage tanks
- Outside tank capacity of 900,000 gallons Inside tank capacity of 100,000 gallons



Packaging Lines

1 inline filler line

2 inline fillers: 1 qt/1 liter; 5 qt/5 liter; 1 gal/4 liter

2 drum/tote fillers: 16 gal/60 liters; 55 gal/208 liters; 275 gal/1000 liters; 330 gal/1250 liters

1 pail filler: 5 gal/18.9 liters; 6.65 gal/25 liters; 2.5 gal/9.46 liters





Warehouse

O Clean, dry, temperature controlled space

• 4 loading docks; 1 drive in; 5 rail station; 4 loading racks; 4 in door scales



Quality Control

- Each batch of raw materials and finished products is carefully inspected
- Samples are kept in the production archives for two years
- State-of-the art fully equipped and certified Lab on site



- O Cold crank
- O Pour point
- Flash point
- Additives levels
- O TBN
- Moisture
- O Crackle test
- O Density/API gravity
- Viscosity at 100 C°
- Viscosity at 40 C°







Products Category



PCMO:

Motor Oil, Transmission Oil, Antifreeze, Automotive Chemicals



Diesel Fleet:

Heavy-Duty Motor Oil, Heavy-Duty Transmission Oil, HD Antifreeze



Industrial Applications:

Hydraulic Oil, Tractor Oil, Gear Oil, Railroad engine Oil, Marine Oil, Military Oil, Chain Oil, Spindle, Way Oil, Grease, Transformer Oil

Brands

















EVEREST°



Brands











Brands













GOLDEN STALLION



























Private Label

US Global Petroleum offers turn-key contract manufacturing to help you build your brand equity.



Available Packaging



1Qt (1L)



1 GAL (4L)



5Qt (5L)



5 GAL pail (19L)



6 Gal BIB



55 GAL drum (208L)



265 Gal Tote (1000L) 330 GAL tote (1250 L)

Available Packaging



Bulk Option for Oil: 6280 US Gal flexi bag



Shipping

Container Loading Info

Weight- 43000 lb. (20 ton)

Average load per container: 21 pallets

Package	Cases per Pallet
12/1 QT (1L)	84
4/1 GAL (4L)	54
4/5 QT (5L)	54
5 Gal Pail (19L)	48
16 Gal Keg (60L)	9
55 Gal Drum (208 L)	4
265 gal tote (1000 L)	1
6280 flexi bag	







































AMERICAN PETROLEUM INSTITUTE









- Exceeds API SN / ILSAC GF-5 service
- · Outperforms conventional motor oil
- Helps improve fuel economy

Beamst RUI Synthetic SVE OW-20 Motor Oil is a supporter quality multi-quade motor oil designed with a state-of the artilow friction additive system for maximum angine protection even under the taughtest diving conditions. It autperforms conventional and or of, reduces that ion and wear at stad-up and protests your engine against performance robbing studye and varnish deposits. Evenst Full Synthetic HotorOil is recommended for turbo-charge dand high-powered passenge car, truck, sportstillity will do and other midble or stationary engines.

Everest Full Synthetic SAE 049-20 Moltor Oil monts or exceeds carm anula duriers' ESACGE-5 and American Petroleum Institute (API) Resource Conserving 94 service class if cations and is compatible with all prior API categories. Everest Full Synthetic SAEOW-20 has been field tested to be compared eto most American, Asian and Buspean manufactures' standards including A/EA A//61 & A5-85, GM 8094H. Chysler HS6395, Ford WSS-H30947A, and manyother 084's specifications wherea full sorthetic API SWGF-Smidtoroli is recommended.

ALWAYS CHECK YOUR CAR HANGAL FOR PROPER SERVICE RECOMMENDATIONS

WAR MING: Continuous contact with used motor oils has caused skin. can ser in animal tests. Avoid prolonged or repeated contact with eyes, skin and dothing. Wash skin with scap and water after handling. KEEP OUT OF REACH OF CHILDREN. DON'T POLILITE CONSERVE RESOURCES.

Manufactured by US 6 lob al Petroleum Franklin Park, IL60131

usgloba (petrol eum. com

FR02000EVOIUS TLEER





Everest Full Synthetic SAE 0W-20 Everest Full Synthetic SAE 5W-30	Petromerica Full Synthetic SAE 0W-20 Petromerica Full Synthetic SAE 5W-30
Everest Full Synthetic SAE 5W-20	Petromerica Full Synthetic SAE 5W-20
Rover Full Synthetic SAE 0W-20	Warco Full Synthetic SAE 0W-20
Rover Full Synthetic SAE 5W-30	Warco Full Synthetic SAE 5W-30
Rover Full Synthetic SAE 5W-20	Warco Full Synthetic SAE 5W-20
Golden Stallion Full Synthetic SAE 0W-20	Tiger's Head Full Synthetic SAE 0W-20
Golden Stallion Full Synthetic SAE 5W-30	Tiger's Head Full Synthetic SAE 5W-30
Golden Stallion Full Synthetic SAE 5W-20	Tiger's Head Full Synthetic SAE 5W-20





<u>GM</u>		dexo	
		APPROVED-GI	
	Brand C	ertificate of Lice	nse
Issued to	Global Market D	Distribution Inc, dba	US Global Petroleum
This document certifies that the specified below:	company named above is auth	orized to use the General Motors	dexos1** trademark in conjunction with the fluid
Brand License No.: D10404H	G117 Blender Lice	nse No.: D10404HG117	Expiration Date: 12/31/2019 12:00:00 AM
Viscosity Grade: 0W-20	Brand Nam	e: Everest	
License Region: North Ameri	ca		
of and comply with the qu		dexos ™ Licensing Program Policie	named above agrees to maintain the terms. is and Procedures and License Agreement. The licens
Should there be any quest	ions regarding this license, plea	se, contact the General Motors C	ustomer Care and Aftersales licensing team.
1 00	Gener	al Motors Customer Care and Afts 31057 Louis Chevrolet Rd. Warren, MI 48093-2355 sophia martinifigm.com garret, I. bien@gm.com	rsales
111			

	Brand C	ertificate of Licer	nse
Issued to	Global Market I	Distribution Inc, dba	US Global Petroleum
This document certifies that the specified below:	company named above is auth	norized to use the General Motors	Sexos1" trademark in conjunction with the fluid
Brand License No.: D10384H	G117 Stender Lio	ense No.: D10384HG117	Expiration Date: 12/31/2019 12:00:00 AM
Viscosity Grade: 5W-30	Brand Nan	Petromerica	
License Region: North Ameri	ca		
of and comply with the qu		dexos ™ Licensing Program Policie	named above agrees to maintain the terms and Procedures and License Agreement. The license
Should there be any quest	ions regarding this license, ple	ase, contact the General Motors Co	stomer Care and Aftersales licensing team.
AR.	Gener 5/20/2019 12:00:00 AM	al Motors Customer Care and Afte 31057 Louis Chevrolet Rd. Warren, MI 48093-2355 sophia martini@gm.com garret_Lbitn@gm.com	sales



_			
GM	C dey	X05°	
	APPROV	ED-GEN 2	
	Brand Certificate	of License	
Issued to	Global Market Distribution,	Inc. DBA US Global Petroleu	
This document certifies that the specified below:	company named above is authorized to use the Ge	eneral Motors dexos1 nd trademark in conjunction with the flui	d
Brand License No.: D130BA	AE299 Blender License No.: D10404	4HG117 Expiration Date: 12/31/2019 12:00:00 A	UM.
Viscosity Grade: 0W-20	Brand Name: Warco		
License Region: NorthAmeric	a		
This fluid has met the rigo	rous quality requirements for dexos1** engine oil.	The company named above agrees to maintain the terms Program Policies and Procedures and License Agreement. The	
	we must appear on all container labels of licensed p		ecense
Should there be any quest	tions regarding this license, please, contact the Gen	neral Motors Customer Care and Aftersales licensing team.	
,	General Motors Customer 31057 Louis Che Warren, MI 480	evrolet Rd.	
427.	sophia martinig		
100	6/10/2019 12:00:00 AM		
Authorized Signature	Date		

VOLKSWAGEN AKTIENGESTLISCHAFT Global Market Distribution Inc. Mr. Dean Mohammad 24.06.2019 9101 W Fullerton Ave UNIVERS ZEICHEN 1437-elf-sk 9-43156 60131 USA 9-32371 25.07.2019 Engine Oil Dear Mr. Mohammad. Analysis of the engine oil Everest Full Synthetic Motor Oil SAE 5W-40 (Oil-Code: LBB 14729-I) 16436 WOLFSBURG has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore TELEFAX +49 5361 9-28282 suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products. So that it is clear to both customers and workshops that this approval has been granted, containers should state: "approved under VW Standard 502 00 and VW Standard 505 00" HURSERT DOSS-VORSITZENDER Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again. GUNNAR RILIAN Yours sincerely HILTRUD D. WERNER SITZ: WOLFSBURG ANTSGERICHT BEAUNSC Dr. Elfrath We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories the marketability in any sales market or the compliance with local chemical substances laws or other



