



License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST FULL SYNTHETIC	0W-16	SQ	Resource Conserving
EVEREST FULL SYNTHETIC	0W-20	SQ	Resource Conserving
EVEREST FULL SYNTHETIC	0W-30	SQ	Resource Conserving
EVEREST FULL SYNTHETIC	0W-40	SQ	
EVEREST FULL SYNTHETIC	5W-20	SQ	Resource Conserving
EVEREST FULL SYNTHETIC	5W-30	SQ	Resource Conserving
EVEREST FULL SYNTHETIC	5W-40	SQ	
EVEREST FULL SYNTHETIC	10W-30	SQ	Resource Conserving
EVEREST SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
EVEREST SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
EVEREST SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
EVEREST SYNTHETIC BLEND	10W-40	SQ	
EVEREST SYNTHETIC BLEND	20W-50	SQ	
GOLDEN STALLION FULL SYNTHETIC	0W-16	SQ	Resource Conserving
GOLDEN STALLION FULL SYNTHETIC	0W-20	SQ	Resource Conserving
GOLDEN STALLION FULL SYNTHETIC	0W-30	SQ	Resource Conserving
GOLDEN STALLION FULL SYNTHETIC	0W-40	SQ	
GOLDEN STALLION FULL SYNTHETIC	5W-20	SQ	Resource Conserving
GOLDEN STALLION FULL SYNTHETIC	5W-30	SQ	Resource Conserving
GOLDEN STALLION FULL SYNTHETIC	5W-40	SQ	
GOLDEN STALLION FULL SYNTHETIC	10W-30	SQ	Resource Conserving
GOLDEN STALLION SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
GOLDEN STALLION SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
GOLDEN STALLION SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
GOLDEN STALLION SYNTHETIC BLEND	10W-40	SQ	
GOLDEN STALLION SYNTHETIC BLEND	20W-50	SQ	

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
PETROMERICA FULL SYNTHETIC	0W-16	SQ	Resource Conserving
PETROMERICA FULL SYNTHETIC	0W-20	SQ	Resource Conserving
PETROMERICA FULL SYNTHETIC	0W-30	SQ	Resource Conserving
PETROMERICA FULL SYNTHETIC	0W-40	SQ	
PETROMERICA FULL SYNTHETIC	5W-20	SQ	Resource Conserving
PETROMERICA FULL SYNTHETIC	5W-30	SQ	Resource Conserving
PETROMERICA FULL SYNTHETIC	5W-40	SQ	
PETROMERICA FULL SYNTHETIC	10W-30	SQ	Resource Conserving
PETROMERICA SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
PETROMERICA SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
PETROMERICA SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
PETROMERICA SYNTHETIC BLEND	10W-40	SQ	
PETROMERICA SYNTHETIC BLEND	20W-50	SQ	
REX FULL SYNTHETIC	0W-16	SQ	Resource Conserving
REX FULL SYNTHETIC	0W-20	SQ	Resource Conserving
REX FULL SYNTHETIC	0W-30	SQ	Resource Conserving
REX FULL SYNTHETIC	0W-40	SQ	
REX FULL SYNTHETIC	5W-20	SQ	Resource Conserving
REX FULL SYNTHETIC	5W-30	SQ	Resource Conserving
REX FULL SYNTHETIC	5W-40	SQ	
REX FULL SYNTHETIC	10W-30	SQ	Resource Conserving
REX SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
REX SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
REX SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
REX SYNTHETIC BLEND	10W-40	SQ	
REX SYNTHETIC BLEND	20W-50	SQ	

AMERICAN PETROLEUM INSTITUTE

SAE


Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
ROVER FULL SYNTHETIC	0W-16	SQ	Resource Conserving
ROVER FULL SYNTHETIC	0W-20	SQ	Resource Conserving
ROVER FULL SYNTHETIC	0W-30	SQ	Resource Conserving
ROVER FULL SYNTHETIC	0W-40	SQ	
ROVER FULL SYNTHETIC	5W-20	SQ	Resource Conserving
ROVER FULL SYNTHETIC	5W-30	SQ	Resource Conserving
ROVER FULL SYNTHETIC	5W-40	SQ	
ROVER FULL SYNTHETIC	10W-30	SQ	Resource Conserving
ROVER SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
ROVER SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
ROVER SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
ROVER SYNTHETIC BLEND	10W-40	SQ	
ROVER SYNTHETIC BLEND	20W-50	SQ	
TIGER'S HEAD FULL SYNTHETIC	0W-16	SQ	Resource Conserving
TIGER'S HEAD FULL SYNTHETIC	0W-20	SQ	Resource Conserving
TIGER'S HEAD FULL SYNTHETIC	0W-30	SQ	Resource Conserving
TIGER'S HEAD FULL SYNTHETIC	0W-40	SQ	
TIGER'S HEAD FULL SYNTHETIC	5W-20	SQ	Resource Conserving
TIGER'S HEAD FULL SYNTHETIC	5W-30	SQ	Resource Conserving
TIGER'S HEAD FULL SYNTHETIC	5W-40	SQ	
TIGER'S HEAD FULL SYNTHETIC	10W-30	SQ	Resource Conserving
TIGER'S HEAD SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
TIGER'S HEAD SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
TIGER'S HEAD SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
TIGER'S HEAD SYNTHETIC BLEND	10W-40	SQ	
TIGER'S HEAD SYNTHETIC BLEND	20W-50	SQ	

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
WARCO FULL SYNTHETIC	0W-16	SQ	Resource Conserving
WARCO FULL SYNTHETIC	0W-20	SQ	Resource Conserving
WARCO FULL SYNTHETIC	0W-30	SQ	Resource Conserving
WARCO FULL SYNTHETIC	0W-40	SQ	
WARCO FULL SYNTHETIC	5W-20	SQ	Resource Conserving
WARCO FULL SYNTHETIC	5W-30	SQ	Resource Conserving
WARCO FULL SYNTHETIC	5W-40	SQ	
WARCO FULL SYNTHETIC	10W-30	SQ	Resource Conserving
WARCO SYNTHETIC BLEND	5W-20	SQ	Resource Conserving
WARCO SYNTHETIC BLEND	5W-30	SQ	Resource Conserving
WARCO SYNTHETIC BLEND	10W-30	SQ	Resource Conserving
WARCO SYNTHETIC BLEND	10W-40	SQ	
WARCO SYNTHETIC BLEND	20W-50	SQ	
EVEREST 100% SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
EVEREST 100% SYNTHETIC	0W-20	SP	Resource Conserving, SN PLUS
EVEREST 100% SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS
EVEREST 100% SYNTHETIC	0W-40	SP	SN PLUS
EVEREST 100% SYNTHETIC	5W-20	SP	Resource Conserving, SN PLUS
EVEREST 100% SYNTHETIC	5W-30	SP	Resource Conserving, SN PLUS
EVEREST 100% SYNTHETIC	5W-40	SP	SN PLUS
EVEREST 100% SYNTHETIC	10W-30	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST 100% SYNTHETIC	10W-40	SP	SN PLUS
EVEREST FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	0W-20	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	0W-40	SP	SN PLUS
EVEREST FULL SYNTHETIC	5W-20	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	5W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	5W-40	SP	SN PLUS
EVEREST FULL SYNTHETIC	10W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	10W-40	SP	SN PLUS
EVEREST SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

AMERICAN PETROLEUM INSTITUTE

SAE





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
EVEREST SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
EVEREST SYN BLEND	10W-40	SP	SN PLUS
EVEREST SYN BLEND	20W-50	SP	SN PLUS
EVEREST SYNTHETIC BLEND	5W-20	SP	Resource Conserving, SN PLUS
EVEREST SYNTHETIC BLEND	5W-30	SP	Resource Conserving, SN PLUS
EVEREST SYNTHETIC BLEND	10W-30	SP	Resource Conserving, SN PLUS
EVEREST SYNTHETIC BLEND	10W-40	SP	SN PLUS
EVEREST SYNTHETIC BLEND	15W-40	SP	SN PLUS
EVEREST SYNTHETIC BLEND	20W-50	SP	SN PLUS
EVEREST SYNTHETIC BLENDL	5W-40	SP	SN PLUS
GOLDEN STALLION FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYNTHETIC	0W-40	SP	SN PLUS
GOLDEN STALLION FULL SYNTHETIC	5W-20	SP	Resource Conserving, SN PLUS

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
GOLDEN STALLION FULL SYNTHETIC	5W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYNTHETIC	5W-40	SP	SN PLUS
GOLDEN STALLION FULL SYNTHETIC	10W-40	SP	SN PLUS
GOLDEN STALLION SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	10W-40	SP	SN PLUS
GOLDEN STALLION SYN BLEND	20W-50	SP	SN PLUS
GOLDEN STALLION SYNTHETIC BLEND	5W-40	SP	SN PLUS
GOLDEN STALLION SYNTHETIC BLEND	20W-50	SP	SN PLUS
PETROMERICA 100% SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS

AMERICAN PETROLEUM INSTITUTE

SAE


Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
PETROMERICA FULL SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYNTHETIC	0W-40	SP	SN PLUS
PETROMERICA FULL SYNTHETIC	5W-40	SP	SN PLUS
PETROMERICA FULL SYNTHETIC	10W-40	SP	SN PLUS
PETROMERICA SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
PETROMERICA SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
PETROMERICA SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
PETROMERICA SYN BLEND	10W-40	SP	SN PLUS
PETROMERICA SYN BLEND	20W-50	SP	SN PLUS
PETROMERICA SYNTHETIC BLEND	5W-40	SP	SN PLUS
ROVER FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	10W-40	SP	SN PLUS
ROVER FULL SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
ROVER FULL SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch


AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
ROVER FULL SYNTHETIC	0W-40	SP	SN PLUS
ROVER FULL SYNTHETIC	5W-40	SP	SN PLUS
ROVER SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
ROVER SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
ROVER SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
ROVER SYN BLEND	10W-40	SP	SN PLUS
ROVER SYNTHETIC BLEND	5W-30	SP	Resource Conserving, SN PLUS
ROVER SYNTHETIC BLEND	5W-40	SP	SN PLUS
ROVER SYNTHETIC BLEND	20W-50	SP	SN PLUS
TIGER'S HEAD FULL SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYNTHETIC	0W-20	SP	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYNTHETIC	0W-40	SP	SN PLUS
TIGER'S HEAD FULL SYNTHETIC	5W-20	SP	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYNTHETIC	5W-30	SP	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYNTHETIC	5W-40	SP	SN PLUS
TIGER'S HEAD FULL SYNTHETIC	10W-30	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
TIGER'S HEAD FULL SYNTHETIC	10W-40	SP	SN PLUS
TIGER'S HEAD SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
TIGER'S HEAD SYNTHETIC BLEND	5W-20	SP	Resource Conserving, SN PLUS
TIGER'S HEAD SYNTHETIC BLEND	5W-40	SP	SN PLUS
TIGER'S HEAD SYNTHETIC BLEND	10W-40	SP	SN PLUS
TIGER'S HEAD SYNTHETIC BLEND	20W-50	SP	SN PLUS
WARCO FULL SYN [®]	0W-20	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
WARCO FULL SYNTHETIC	0W-16	SP	Resource Conserving, SN PLUS
WARCO FULL SYNTHETIC	0W-30	SP	Resource Conserving, SN PLUS
WARCO FULL SYNTHETIC	0W-40	SP	SN PLUS
WARCO FULL SYNTHETIC	5W-20	SP	Resource Conserving, SN PLUS
WARCO FULL SYNTHETIC	5W-30	SP	Resource Conserving, SN PLUS
WARCO FULL SYNTHETIC	5W-40	SP	SN PLUS

AMERICAN PETROLEUM INSTITUTE

Manager - EOLCS/DEF/MOM

Engine Oil Licensing and Certification System

Date: 07-Oct-2025

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
WARCO FULL SYNTHETIC	10W-40	SP	SN PLUS
WARCO SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
WARCO SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
WARCO SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
WARCO SYN BLEND	10W-40	SP	SN PLUS
WARCO SYN BLEND	20W-50	SP	SN PLUS
WARCO SYNTHETIC BLEND	5W-40	SP	SN PLUS
WARCO SYNTHETIC BLEND	10W-30	SP	Resource Conserving, SN PLUS
EVEREST	20W-50	SN	
EVEREST	0W-40	SN	
EVEREST	5W-40	SN	
EVEREST 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	10W-40	SN	
EVEREST 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
EVEREST CONVENTIONAL	30	SN	SN PLUS
EVEREST EURO ACEA FULL SYN	5W-40	SN	
EVEREST FULL SYN	0W-16	SN	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-40	SN	
EVEREST FULL SYN	10W-40	SN	
EVEREST FULL SYNTHETIC	0W-40	SN	

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST SEMI SYNTHETIC	10W-40	SN	
EVEREST SYN BLEND	10W-40	SN	
EVEREST SYN BLEND	10W-40	SN	SN PLUS
EVEREST SYN BLEND	20W-50	SN	SN PLUS
EVEREST ULTRA FULL SYN	10W-30	SN	Resource Conserving
GOLDEN 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
GOLDEN STALLION 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	10W-40	SN	
GOLDEN STALLION 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
GOLDEN STALLION EURO ACEA FULL SYN	5W-40	SN	
GOLDEN STALLION FULL SYN	0W-16	SN	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	10W-40	SN	SN PLUS
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	10W-40	SN	
GOLDEN STALLION SYN BLEND	10W-40	SN	SN PLUS
GOLDEN STALLION SYN BLEND	20W-50	SN	SN PLUS
KRONOS PRISCUS SEMI-SINTETHICO	20W-50	SN	
MEGA SYN BLEND ULTRA HD	10W-40	SN	
MEGA SYN BLEND ULTRA ADVANCED FORMULA	20W-50	SN	
PETROMERICA FULL SYN ULTRA	0W-16	SN	Resource Conserving, SN PLUS
PETROMERICA FULL SYN ULTRA	0W-40	SN	
PETROMERICA FULL SYN ULTRA	10W-40	SN	SN PLUS

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
PETROMERICA SEMI SYNTHETIC PLUS	10W-40	SN	SN PLUS
PETROMERICA SEMI SYNTHETIC PLUS	20W-50	SN	SN PLUS
RADIX FULL SYN	10W-40	SN	
ROVER	10W-40	SN	
ROVER 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	10W-40	SN	
ROVER 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
ROVER EURO ACEA FULL SYN	5W-40	SN	
ROVER FULL SYN HD	5W-40	SN	
ROVER FULL ULTRA SYN	0W-40	SN	
ROVER HD SYN BLEND	20W-50	SN	
TIGER'S HEAD	10W-40	SN	
TIGER'S HEAD FULL SYN	0W-16	SN	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYN	5W-40	SN	
TIGER'S HEAD FULL SYN	10W-40	SN	SN PLUS
TIGER'S HEAD SYN BLEND	0W-16	SN	Resource Conserving, SN PLUS
TIGER'S HEAD SYN BLEND	10W-40	SN	SN PLUS
TIGER'S HEAD SYN BLEND	20W-50	SN	SN PLUS
WARCO	10W-40	SN	SN PLUS
WARCO FULL SYN	5W-30	SN	Resource Conserving, SN PLUS
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	10W-40	SM	

AMERICAN PETROLEUM INSTITUTE

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
GOLDEN STALLION ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	10W-30	FA-4	
REX HEAVY DUTY SYNTHETIC BLEND	10W-30	FA-4	
ROVER ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
TIGER HEAD ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
WARCO HEAVY DUTY SYNTHETIC BLEND	10W-30	FA-4	
EVEREST ADVANCED HD	15W-40	CK-4/SN	CI-4 PLUS
EVEREST HD	15W-40	CK-4/SN	CI-4 PLUS
EVEREST HD FULL SYNTHETIC	15W-40	CK-4/SN	CI-4 PLUS
EVEREST HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
GOLDEN STALLION HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
REX HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
ROVER HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
TIGER'S HEAD HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
WARCO HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4/SN	CI-4 PLUS
EVEREST ADVANCED HD	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
GOLDEN STALLION HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
GOLDEN STALLION HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
GOLDEN STALLION SYN BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
ROVER HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
ROVER HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
TIGER'S HEAD HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
TIGER'S HEAD HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
TIGER'S HEAD SYN BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
WARCO SYN BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
EVEREST	10W-30	CK-4, CJ-4	
EVEREST ADVANCED HD SYN	15W-40	CK-4, CJ-4	
EVEREST ADVANCED HD SYN BLEND	10W-30	CK-4, CJ-4	
EVEREST EXTREEM HEAVY DUTY	15W-40	CK-4, CJ-4	
EVEREST EXTREME DUTY SYN BLEND	15W-40	CK-4, CJ-4	
GOLDEN STALLION EXTREEM HEAVY DUTY SYN BLEND	15W-40	CK-4, CJ-4	
ROVER EXTREEM HEAVY DUTY SYN BLEND	15W-40	CK-4, CJ-4	
TIGER HEAD EXTREEM HEAVY DUTY SYN BLEND	15W-40	CK-4, CJ-4	
WARCO HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4	CI-4 PLUS

AMERICAN PETROLEUM INSTITUTE

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST ADVANCED HD	10W-30	CK-4	
EVEREST ADVANCED HD	15W-40	CK-4	
EVEREST HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
GOLDEN STALLION HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
KRONOS FILIUS SEMI-SINTETICO	15W-40	CK-4	
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
REX HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
ROVER HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
TIGER'S HEAD HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
WARCO HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4	CI-4 PLUS
EVEREST HEAVY DUTY SYN BLEND	10W-30	CJ-4/SN	
GOLDEN STALLION HEAVY DUTY SYN BLEND	10W-30	CJ-4/SN	
EVEREST HEAVY DUTY SYN BLEND	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
EVEREST TBN CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
GOLDEN STALLION HEAVY DUTY FULL SYN BLEND	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
GOLDEN STALLION HD SYN BLEND CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
MEGA SYN BLEND TITAN HD	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
ROVER HEAVY DUTY	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
ROVER HEAVY DUTY TBN CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
TIGER HEAD HD SYN BLEND CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
EVEREST	15W-40	CJ-4, CI-4, CH-4/SM	CI-4 PLUS
ROVER	15W-40	CJ-4, CI-4, CH-4/SM	CI-4 PLUS

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 2495

SCHEDULE A - LICENSE AGREEMENT


The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	15W-40	CJ-4, CI-4, CH-4/SJ	CI-4 PLUS
WARCO	15W-40	CI-4/SL	



Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
EVEREST FULL SYNTHETIC	0W-20	GF-7A
EVEREST FULL SYNTHETIC	0W-30	GF-7A
EVEREST FULL SYNTHETIC	5W-20	GF-7A
EVEREST FULL SYNTHETIC	5W-30	GF-7A
EVEREST FULL SYNTHETIC	10W-30	GF-7A
EVEREST SYNTHETIC BLEND	5W-20	GF-7A
EVEREST SYNTHETIC BLEND	5W-30	GF-7A
EVEREST SYNTHETIC BLEND	10W-30	GF-7A
GOLDEN STALLION FULL SYNTHETIC	0W-20	GF-7A
GOLDEN STALLION FULL SYNTHETIC	0W-30	GF-7A
GOLDEN STALLION FULL SYNTHETIC	5W-20	GF-7A
GOLDEN STALLION FULL SYNTHETIC	5W-30	GF-7A
GOLDEN STALLION FULL SYNTHETIC	10W-30	GF-7A
GOLDEN STALLION SYNTHETIC BLEND	5W-20	GF-7A
GOLDEN STALLION SYNTHETIC BLEND	5W-30	GF-7A
GOLDEN STALLION SYNTHETIC BLEND	10W-30	GF-7A
PETROMERICA FULL SYNTHETIC	0W-20	GF-7A
PETROMERICA FULL SYNTHETIC	0W-30	GF-7A
PETROMERICA FULL SYNTHETIC	5W-20	GF-7A
PETROMERICA FULL SYNTHETIC	5W-30	GF-7A
PETROMERICA FULL SYNTHETIC	10W-30	GF-7A
PETROMERICA SYNTHETIC BLEND	5W-20	GF-7A
PETROMERICA SYNTHETIC BLEND	5W-30	GF-7A
PETROMERICA SYNTHETIC BLEND	10W-30	GF-7A
REX FULL SYNTHETIC	0W-20	GF-7A
REX FULL SYNTHETIC	0W-30	GF-7A



Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
REX FULL SYNTHETIC	5W-20	GF-7A
REX FULL SYNTHETIC	5W-30	GF-7A
REX FULL SYNTHETIC	10W-30	GF-7A
REX SYNTHETIC BLEND	5W-20	GF-7A
REX SYNTHETIC BLEND	5W-30	GF-7A
REX SYNTHETIC BLEND	10W-30	GF-7A
ROVER FULL SYNTHETIC	0W-20	GF-7A
ROVER FULL SYNTHETIC	0W-30	GF-7A
ROVER FULL SYNTHETIC	5W-20	GF-7A
ROVER FULL SYNTHETIC	5W-30	GF-7A
ROVER FULL SYNTHETIC	10W-30	GF-7A
ROVER SYNTHETIC BLEND	5W-20	GF-7A
ROVER SYNTHETIC BLEND	5W-30	GF-7A
ROVER SYNTHETIC BLEND	10W-30	GF-7A
TIGER'S HEAD FULL SYNTHETIC	0W-20	GF-7A
TIGER'S HEAD FULL SYNTHETIC	0W-30	GF-7A
TIGER'S HEAD FULL SYNTHETIC	5W-20	GF-7A
TIGER'S HEAD FULL SYNTHETIC	5W-30	GF-7A
TIGER'S HEAD FULL SYNTHETIC	10W-30	GF-7A
TIGER'S HEAD SYNTHETIC BLEND	5W-20	GF-7A
TIGER'S HEAD SYNTHETIC BLEND	5W-30	GF-7A
TIGER'S HEAD SYNTHETIC BLEND	10W-30	GF-7A
WARCO FULL SYNTHETIC	0W-20	GF-7A
WARCO FULL SYNTHETIC	0W-30	GF-7A
WARCO FULL SYNTHETIC	5W-20	GF-7A
WARCO FULL SYNTHETIC	5W-30	GF-7A



Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT


The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
WARCO FULL SYNTHETIC	10W-30	GF-7A
WARCO SYNTHETIC BLEND	5W-20	GF-7A
WARCO SYNTHETIC BLEND	5W-30	GF-7A
WARCO SYNTHETIC BLEND	10W-30	GF-7A
EVEREST 100% SYNTHETIC	0W-20	GF-6A
EVEREST 100% SYNTHETIC	0W-30	GF-6A
EVEREST 100% SYNTHETIC	5W-20	GF-6A
EVEREST 100% SYNTHETIC	5W-30	GF-6A
EVEREST 100% SYNTHETIC	10W-30	GF-6A
EVEREST FULL SYN	0W-20	GF-6A
EVEREST FULL SYN	5W-20	GF-6A
EVEREST FULL SYN	5W-30	GF-6A
EVEREST FULL SYN	10W-30	GF-6A
EVEREST FULL SYNTHETIC	0W-20	GF-6A
EVEREST FULL SYNTHETIC	0W-30	GF-6A
EVEREST FULL SYNTHETIC	5W-20	GF-6A
EVEREST FULL SYNTHETIC	5W-30	GF-6A
EVEREST FULL SYNTHETIC	10W-30	GF-6A
EVEREST SYN BLEND	5W-20	GF-6A
EVEREST SYN BLEND	5W-30	GF-6A
EVEREST SYN BLEND	10W-30	GF-6A
EVEREST SYNTHETIC BLEND	5W-20	GF-6A
EVEREST SYNTHETIC BLEND	5W-30	GF-6A
EVEREST SYNTHETIC BLEND	10W-30	GF-6A
GOLDEN STALLION FULL SYN	0W-20	GF-6A
GOLDEN STALLION FULL SYN	10W-30	GF-6A



Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
GOLDEN STALLION FULL SYNTHETIC	0W-30	GF-6A
GOLDEN STALLION FULL SYNTHETIC	5W-20	GF-6A
GOLDEN STALLION FULL SYNTHETIC	5W-30	GF-6A
GOLDEN STALLION SYN BLEND	5W-20	GF-6A
GOLDEN STALLION SYN BLEND	5W-30	GF-6A
GOLDEN STALLION SYN BLEND	10W-30	GF-6A
PETROMERICA FULL SYN	0W-20	GF-6A
PETROMERICA FULL SYN	5W-20	GF-6A
PETROMERICA FULL SYN	5W-30	GF-6A
PETROMERICA FULL SYN	10W-30	GF-6A
PETROMERICA FULL SYNTHETIC	0W-30	GF-6A
PETROMERICA SYN BLEND	5W-20	GF-6A
PETROMERICA SYN BLEND	5W-30	GF-6A
PETROMERICA SYN BLEND	10W-30	GF-6A
ROVER FULL SYN	0W-20	GF-6A
ROVER FULL SYN	5W-20	GF-6A
ROVER FULL SYN	5W-30	GF-6A
ROVER FULL SYN	10W-30	GF-6A
ROVER FULL SYNTHETIC	0W-30	GF-6A
ROVER SYN BLEND	5W-20	GF-6A
ROVER SYN BLEND	5W-30	GF-6A
ROVER SYN BLEND	10W-30	GF-6A
ROVER SYNTHETIC BLEND	5W-30	GF-6A
TIGER'S HEAD FULL SYNTHETIC	0W-20	GF-6A
TIGER'S HEAD FULL SYNTHETIC	0W-30	GF-6A
TIGER'S HEAD FULL SYNTHETIC	5W-20	GF-6A

AMERICAN PETROLEUM INSTITUTE

SAE

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
TIGER'S HEAD FULL SYNTHETIC	5W-30	GF-6A
TIGER'S HEAD FULL SYNTHETIC	10W-30	GF-6A
TIGER'S HEAD SYN BLEND	10W-30	GF-6A
TIGER'S HEAD SYNTHETIC BLEND	5W-20	GF-6A
WARCO FULL SYN	0W-20	GF-6A
WARCO FULL SYN	5W-20	GF-6A
WARCO FULL SYN	5W-30	GF-6A
WARCO FULL SYN	10W-30	GF-6A
WARCO FULL SYNTHETIC	0W-30	GF-6A
WARCO FULL SYNTHETIC	5W-20	GF-6A
WARCO FULL SYNTHETIC	5W-30	GF-6A
WARCO SYN BLEND	5W-20	GF-6A
WARCO SYN BLEND	5W-30	GF-6A
WARCO SYN BLEND	10W-30	GF-6A
WARCO SYNTHETIC BLEND	10W-30	GF-6A



Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and U.S. GLOBAL PETROLEUM, INC. may be used through 31-Mar-2026 are as follows:



API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
EVEREST FULL SYNTHETIC	0W-16	GF-7B
GOLDEN STALLION FULL SYNTHETIC	0W-16	GF-7B
PETROMERICA FULL SYNTHETIC	0W-16	GF-7B
REX FULL SYNTHETIC	0W-16	GF-7B
ROVER FULL SYNTHETIC	0W-16	GF-7B
TIGER'S HEAD FULL SYNTHETIC	0W-16	GF-7B
WARCO FULL SYNTHETIC	0W-16	GF-7B
EVEREST 100% SYNTHETIC	0W-16	GF-6B
EVEREST FULL SYNTHETIC	0W-16	GF-6B
GOLDEN STALLION FULL SYNTHETIC	0W-16	GF-6B
PETROMERICA 100% SYNTHETIC	0W-16	GF-6B
PETROMERICA FULL SYNTHETIC	0W-16	GF-6B
ROVER FULL SYNTHETIC	0W-16	GF-6B
TIGER'S HEAD FULL SYNTHETIC	0W-16	GF-6B
WARCO FULL SYNTHETIC	0W-16	GF-6B



Manager - EOLCS/DEF/MOM

Date: 07-Oct-2025

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch