

USGLOBAL

PETROLEUM -

COMPANY PROFILE

















♦ Welcome

Welcome to US Global Petroleum!

US Global Petroleum is a manufacturer and a global distributor of API licensed quality lubricants, hydraulics and chemicals. We started our business in 2008 and expanded in 2011 by acquiring the Conoco Phillips plant in Franklin Park, Illinois, and since have enjoyed rapid business growth.

The plant was previously owned by both Shell and the Magie Brothers Oil Company, a name that has been in the oil business since 1900. The Magie Brothers Oil Company moved through several locations in the Chicago area in the 20th century with its last stop in Franklin Park, IL, where US Global is now operating. We are proud to be a part of that oil industry evolution and we merge it with the most innovative technology, equipment and knowledge base.

Today, US Global annually delivers more than 20 million liters of the finished product blended under precise supervision and quality control of US Global chemists and engineers. Our customers are wholesale automotive aftermarket distributors, retail chains, gas stations and government agencies that demand the best value from a reliable long-term business partner.

We offer the most competitive manufacturing prices and uncompromised "made in the USA" quality and service. We continuously develop a knowledge base for our customers to help them understand the latest technology trends in the industry. We sell more than oil - we offer ongoing customer support and build strong business relationships to grow our business together with our customers.

Our vision is to be a true partner to our customers and suppliers alike. So let us know how we can help you with your business, because your success is our success.

We welcome our business partners to tour our plant. Please contact the US Global sales team to schedule your visit.

US Global Team



◆ Team



US Global is a team of professionals with years of experience in the industry. We are proud to be an international, multi-language company and employ people of various cultures, races and religions without age and gender bias.

Competitive Advantage

- Customer Relationships
- Knowledge Base
- Team of Professionals
- The most competitive manufacturing prices
- Uncompromised «Made in the U.S.A.» quality

- Flexibility
- Prompt deliveries
- After sales support
- Value-added service

Our Markets

US Global focuses on developing new international markets. Our team provides expertise in import/export compliance and hazardous shipment handling.



North America

- Canada
- Mexico
- USA

Africa

- Burkina Faso
- Ghana
- Кепуа
- Nigeria

Middle East and North Africa

- Egypt
- Iraq
- Israel
- Jordan
- Lebanon
- Libya
- Mauritania
- Palestine
- Morocco
- Qatar
- Saudi Arabia
- Turkey
- United Arab Emirates

Europe

• Bosnia-Herzegovina

Asia

- Azerbaijan
- Bangladesh
- China
- Georgia
- Myanmar (Burma)
- Turkmenistan
- Vietnam

Central America

- Costa Rica
- El Salvador
- Guatemala
- Honduras
- Panama

Caribbean

- Dominican Republic
- Jamaica

South America

- Bolivia
- Chile
- Ecuador
- Guyana
- Paraguay
- Peru

Certified Manufacturer

ISO 9001:2015 - Quality Management System

ISO 45001:2018 - The System of Management of

Safety and Protection of Health at Work

ISO 14001:2015 - Environmental Management

System





8.5 Acres Production Facility

1 million Gallons Storage Tanks

Outside Tank Capacity of 900,000 Gallons

Inside Tank Capacity of 100,000 Gallons



Packaging Lines



(2) Inline Fillers: 1 qt / 1 liter; 5 qt / 5 liter; 1 gal / 4 liter

(2) Drum / Tote Fillers: 16 gal / 60 liters; 55 gal / 208 liters;

265 gal / 1000 liters; 275 gal / 1041 liters; 330 gal / 1250 liters (1) pail filler: 5 gal / 18.9 liters; 6.65 gal / 25 liters; 2.5 gal / 9.46 liters



Warehouse



Quality Control

- Each batch of raw materials and finished products is carefully inspected
- Samples are kept in the production archives for two years
- State-of-the art fully equipped and certified Lab on site



- Cold crank
- O Pour point
- Flash point
- Additives levels
- TBN
- Moisture
- Crackle test
- Density/API gravity
- Viscosity at 100 C°
- Viscosity a! 40 C°



Knowledge Base and Training



Product Category




PCMO:

Motor Oil, Transmission Oil, Antifreeze, Automotive Chemicals



Diesel Fleet::

Heavy-Duty Motor Oil, Heavy-Duty Transmission Oil, HD Antifreeze



Industrial Applications:

Hydraulic Oil, Tractor Oil, Gear Oil, Railroad Engine Oil, Marine Oil, Military Oil, Chain Oil, Spindle Oil, Way Oil, Grease, Transformer Oil



















EVEREST®



























Brands













BrandsPremium Antifreeze





Private Label

US Global Petroleum offers turn-key contract manufacturing to help you build your brand equity.



Available Packaging



1QT (1L)



1 GAL (4 L)



5 QT (5 L)



5 GAL pail (19 L)



6 GAL BIB




55 GAL drum (208 L)



265 GAL Tote (1000 L) 275 GAL Tote (1041 L) 330 Gal Tote (1250 L)

Available Packaging



Bulk Option for Oil: 6280 US GAL flexi bag



Shipping

Container Loading Info

Weight- 43000 lbs (20 ton) Average load per container: 21 pallets

Package	Cases per Pallet
12/1QT (L)	84/96
4/1 CAΓ (4L)	54
4/5 QT (5L)	54
5 Gal Pail (19L)	48/60/72
16 Gal Keg (60L)	9
55 Gal Drum (208 L)	4
265 gal tote (1000 L)	1
6280 flexi bag	











Quality Management System

For the following scope of activities

MANUFACTURING AND DISTRIBUTION OF LUBRICANTS INCLUDING ENGINE OIL, ATF, HYDRAULICS, GEAR OIL, INDUSTRIAL LUBRICANTS AND DISTRIBUTION OF AUTOMOTIVE CHEMICALS.

Date of Certification: 15th March 2023 1" Surveillance Audit Duc: 14th March 2024

2nd Surveillance Audit Due: 14th Mar Certificate Expiry: 14th March 2026

Certificate Number: 305023031544Q









Whilely of the restificant is solven to across in serviciones audit to be done accordingly on to below 455 days from that of the units.

On case serviciones units to an allowed to considerate tilen certainest shall be supposed of witherness.


The Validity of the certificate can be verified at two supposed of witherness.

The Validity of the certificate can be verified at two supposed of witherness.











oil designed with a state-of-the-art low friction additive system for maximum engine protection even under the toughest driving conditions. It outperforms conventional motor oil, reduces friction and wear at start-up and protects your engine against performance robbing sludge and varnish deposits. Everest Full Synthetic Motor Oil is recommended for turbo-charged and high-powered passenger car, truck, sport utility vehicle and other mobile or stationary engines.

Everest Full Synthetic SAE 10W-40 Motor Oil meets or exceeds (API) American Petroleum Institute SP service classification and is compatible with all prior API categories. Everest Full Synthetic SAE 10W-40 Motor Oil has been field tested to be comparable to most American, Asian and European manufacturers' standards including MB 229.3, RN 0710/0700, VW 502 00 / 505 00 and many other OEM's ons where a full synthetic API SP motor oil is rec

Always check your owner's manual for proper service recommendations.

prolonged or repeated contact with eyes, skin and clothing. Wash skin with soap and water after handling KEEP OUT OF REACH OF CHILDREN. DON'T POLLUTE. CONSERVE RESOURCES. RETURN USED OIL TO COLLECTION CENTER







Everest Full Synthetic SAE 0W-20 Everest Full Synthetic SAE 5W-30 Everest Full Synthetic SAE 5W-20	Petromerica Full Synthetic SAE 0W-20 Petromerica Full Synthetic SAE 5W-30 Petromerica Full Synthetic SAE 5W-20
Rover Full Synthetic SAE 0W-20 Rover Full Synthetic SAE 5W-30 Rover Full Synthetic SAE 5W-20	Warco Full Synthetic SAE 0W-20 Warco Full Synthetic SAE SW-30 Warco Full Synthetic SAE 5W-20
Golden Stallion Full Synthetic SAE 0W-20 Golden Stallion Full Synthetic SAE 5W-30 Golden Stallion Full Synthetic SAE 5W-20	Tiger's Head Full Synthetic SAE 0W-20 Tiger's Head Full Synthetic SAE 5W-30 Tiger's Head Full Synthetic SAE 5W-20







			13	
	Brand	Certificate of Lice	nse	
Issued to	Global Market	t Distribution LLC, DB	A US Global Petroleum	
This document certifies that the a specified below:	company named above is a	authorized to use the General Motor	s dexos1** trademark in conjunction with the	he fluid
Brand License No.: D330BFC	K299 Blender	License No. D33006CJ299	Expiration Date: 11/29/2023 12:0	0.00 AM
Viscosity Grade: 0W-20	Brand F	Name: Warco		
Ucerse Region: NorthAmeric	á			
of and comply with the qua	ility standards set forth in		y named above agrees to maintain the term les and Procedures and License Agreement	
Should there be any questi	ons regarding this license.	please, contact the General Motors i	Customer Care and Aftersales licensing tear	m.
	Ge	eneval Motors Sustamer Cate and Aft \$1057 Louis Chevrolet Rd. Warren, Mf 48093-2355	preales	
120.				
188°	12/03/0022 12:00:00 A	w		



VOLKSWAGEN AKTTENGESELLSCHAFT VOURSWAGEN ARTHMORSHUS DIAGET THANK WOLFSHURG DEUTSCHLAND Global Market Distribution LLC. THREE PRICHES DBA US Global Petroleum 23.03.2023 WE MACHINERS 1437-eh-lf LINSTRE ZEICHEN Mrs. Lara Fon-Revutzky 9101 W Fullerton Ave 9-43156 DUNCHWARL 9-32371 Franklin Park IL 60131 USA 03.04.2023 Engine Oil VOLKSWAGEN AKT/ENDESELLSCHAFT Dear Mrs. Fon-Revutzky. DEUTSCHLAND TELEFON +49 5361 8-6 Analysis of the engine oil VIVEYOLESWACEN DE Everest Full Synthetic Motor Oil SAE 5W-40 (ÖI-Code: LBB14767-E) UNBSITZENING DES AUSTROGERATE has shown that product in question meets the requirements in accordance with VW Standard 502 00 and VW Standard 505 00. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with HANS DIETER POTSCH turbochargers, in accordance with the Owner's Literature for our products. DUSTABLUMS -So that it is clear to both customers and workshops that this approval has been granted, containers should state: MURAT AKSEL AEND AN IDIT "approved under VW Standard 502 00 and VW Standard 505 00" MARKUS DUESMANN GUNNALTHIAN Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again. HATRUD D. WERKER VOLKSWAGEN ANTIENGESTILLSCHAP Vours sincerely SITZ: WOLFSBURG HRR 100494



Mercedes-Benz AG | 70546 Stutteart

Mercedes-Benz

US Global Petroleum 9101 W Fullerton Ave. FRANKLIN PARK, IL 60131

T/P +49 711 17 2480 T/F +49 711 17 5975

inr Zeichen, ihre Nachnost vom/ Four reference 22:07:2023 ser Zeichen, unsere Nachricht vom/ rireference number

22.08.2

MB-Approval Certificate - Changing the Formulation - Engine Oil - Reblemd
MB-Approval 229,5 for: "Everest EuroLine Full Synthetic Motor Oil SAE 5W-40"
Oil-Code: LBB 23545-A. SAE-Grade: 5W-40

Reblend to LBS 23545-A with Oil-Code: LBS 23545-A Supplier AFTON Chamical Ltd

Dear Sir or Madan

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.5 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed. The following regulations apply for the MB-Approval:

- . The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- . The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed on the Mercedes-Benz Operating Fluids website https://operatingfluids.mercedes-benz.com
- . Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely Mercedes-Benz AG

Fritz Kestman

i.V. Dr. Jochen Betsch

i.V. Fritz Kreitmann

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dialog mb@mercedes-benz.com | www.mercedes-benz.com

Abersein-Sere AG, Soziato, Commer, 15th und Sigiesteperion, (Service) and Gover of Registry, Soziator, 160n-161, Account of Registry Soziator, 160n-161, Account of Registry, 160n-161, Account of Registr

and Mercedes Benz are registered trademarks of Mercedes-Benz Group AG, Stuttgart, Germany.

