



Technical Product Information  
 www.usglobalpetroleum.com • www.everestoil.com  
 773-376-9660

# FULL SYNTHETIC MOTOR OIL SAE 10W-30

## API SQ • ILSAC GF-7A

Everest Full Synthetic SAE 10W-30 offers remarkable improvements in engine performance, optimum protection, and fuel economy for today's automobiles, light-trucks, SUVs, and other engines, including advanced hybrid and turbo-charged gasoline direct injection (TGDI) engines. SAE 10W-30 surpasses rigorous ILSAC GF-7A and API Resource Conserving SQ specifications and has been field-tested to be comparable to most equivalent American, European, and Asian OEM standards.

### MEETS OR EXCEEDS PERFORMANCE LEVELS

- Chrysler MS 6395
- Ford WSS-M2C205A
- GM 4718M
- GM 6094M

### Maximum Engine Protection

- Surpasses Next-level API SQ • ILSAC GF-7A Technology
- Enhanced additives for longer service life and performance
- Proven performance and durability

### Enhanced Low Viscosity

- Improved frictional properties reduce start-up wear

### Ultra Energy Efficient

- Better fuel economy and improved exhaust emission



**\*More Than 50%  
Less Wear**

**\*Up to 70% Better  
Oxidation Control**

**\*Up to 9% Better  
Fuel Economy**

**\*50% Better Pre-  
ignition Prevention**

\*Higher than ILSAC GF-7A requirements



### Typical Characteristics - Full Synthetic SAE 10W-30

SAE GRADE	Full Syn	10W-30
API SERVICE		SQ • GF-7A
API Gravity	ASTM D287	34.58
Flash Point, COC °C/°F	ASTM D92	239 / 462.2
Pour Point, °C/°F	ASTM D97	-43 / -45.4
Viscosity @ 40°C, cSt	ASTM D445	62.16
Viscosity @ 100°C, cSt	ASTM D445	10.15
Viscosity Index	ASTM D2270	150
CCS, mPa-sec °C max	ASTM D5293	6702 @ -30
Total Base No. TBN	ASTM D2896	6.8

Typical test data are average values only.  
 Minor variations, which do not affect performance, may occur.

V260220

Manufactured by US Global Petroleum, Franklin Park, IL 60131 • www.usglobalpetroleum.com

HANDLING AND SAFETY INFORMATION - Refer to EVEREST (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.