



# FULL SYNTHETIC MOTOR OIL

## SAE 10W-40

### Maximum Engine Protection

- Surpasses rigorous Next-level API SQ standards
- Enhanced additives for longer service life and performance
- Proven performance and durability

### Enhanced Low Viscosity

- Improved frictional properties reduce start-up wear

### Ultra Energy Efficient

- Better fuel economy and extended engine life

### API SQ

Everest Full Synthetic SQ SAE 10W-40 Motor Oil offers remarkable improvements in engine performance, optimum protection, and fuel economy in today's automobiles, light-trucks, SUVs, and other engines, including the latest advanced hybrid and turbo-charged gasoline engines. SAE 10W-40 surpasses rigorous API SQ specification and has been field-tested to be comparable to most equivalent American, European, and Asian OEM standards.

### MEETS OR EXCEEDS PERFORMANCE LEVELS

- MB 229.3
- Renault RN 0700 / 0710
- VW 502.00 / 505.00



BEYOND  
PERFORMANCE

EXTENDS  
ENGINE LIFE

BETTER FUEL  
ECONOMY

FOR HYBRID  
VEHICLES



Typical Characteristics - Full Synthetic SAE 10W-40

SAE GRADE	Full Syn	10W-40
API SERVICE		SQ
API Gravity	ASTM D287	32.08
Flash Point, COC °C/°F	ASTM D92	210 / 410
Pour Point, °C/°F	ASTM D97	-33 / -27.4
Viscosity @ 40°C, cSt	ASTM D445	97
Viscosity @ 100°C, cSt	ASTM D445	15.1
Viscosity Index	ASTM D2270	165
CCS, mPa-sec °C max	ASTM D5293	5049 @ -30
Total Base No. TBN	ASTM D2896	9.5

Typical test data are average values only.  
 Minor variations, which do not affect performance, may occur.

V260220

Manufactured by US Global Petroleum, Franklin Park, IL 60131 • www.usglobalpetroleum.com

HANDLING AND SAFETY INFORMATION - Refer to EVEREST (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.