



Technical Product Information
 www.usglobalpetroleum.com • www.everestoil.com
 773-376-9660

FULL SYNTHETIC MOTOR OIL

dexos¹™
 GM APPROVED-GEN 3 **SAE 0W-20**

Maximum Engine Protection

- Maximum dexos¹™ GEN 3 protection
- Next-level API SQ • ILSAC GF-7A Technology
- Superior engine cleanliness and protection
- Proven performance and durability

Enhanced Low Viscosity

- Improved frictional properties reduce start-up wear

Ultra Energy Efficient

- Better fuel economy and improved exhaust emission

API SQ • ILSAC GF-7A

Everest dexos¹™ Gen 3 Full Synthetic SAE 0W-20 offers remarkable improvements in engine performance, optimum protection, and fuel economy for today's automobiles, light-trucks, SUVs, and other engines, including advanced hybrid and turbo-charged gasoline direct injection (TGDI) engines. SAE 0W-20 dexos¹™ surpasses rigorous GM dexos¹™ GEN 3 global requirements, ILSAC GF-7A, and American Petroleum Institute (API) Resource Conserving SQ Service Classifications and has been field-tested to be comparable to most equivalent American, European, and Asian OEM standards.

MEETS OR SURPASSES PERFORMANCE LEVELS

- Chrysler MS 6395
- Ford WSS-M2C947A
- GM 6094M



*More Than 50%
Less Wear

*Up to 70% Better
Oxidation Control

*Up to 9% Better
Fuel Economy

*50% Better Pre-
ignition Prevention

*Higher than ILSAC GF-7A requirements



Typical Characteristics - Full Synthetic SAE 0W-20

SAE GRADE	Full Syn	0W-20
API SERVICE		SQ/GF-7A
API Gravity	ASTM D287	35.88
Flash Point, COC °C/°F	ASTM D92	227 / 440.6
Pour Point, °C/°F	ASTM D97	-51 / -59.8
Viscosity @ 40°C, cSt	ASTM D445	42.76
Viscosity @ 100°C, cSt	ASTM D445	8.1
Viscosity Index	ASTM D2270	166
CCS, mPa-sec °C max	ASTM D5293	5450 @ -35
Total Base No. TBN	ASTM D2896	8.1

Typical test data are average values only.
 Minor variations, which do not affect performance, may occur.

V260309

Manufactured by US Global Petroleum, Franklin Park, IL 60131 • www.usglobalpetroleum.com

HANDLING AND SAFETY INFORMATION - Refer to EVEREST (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.