

# iLAST™ EXTENDED LIFE

## EURO BLUE 50/50 Antifreeze/Coolant

### For use in BMW, Jaguar, MB, Mini, Smart, Volvo, and other automotive and light-duty vehicles

**iLAST EURO BLUE 50-50 PREDILUTED ANTIFREEZE/COOLANT** is an extended-life coolant, free from nitrite, amine, and phosphate (NAP). It is a low silicate OAT coolant formulated to provide superior performance for BMW, Jaguar, MB, Mini, Smart, Volvo, and other newer automotive and light-duty vehicles. As an initial fill and properly maintained, it provides high-temperature aluminum protection and extended-life 150,000 miles or 5 years of protection against rust, corrosion, and pitting for all coolant system metals. It is fully compatible with similar formulated extended-life coolants. However, for the best results, do not mix with conventional high-pH coolants.

### Advantages

- Phosphate based Organic Acid Technology (OAT) coolant
- Extended Life 150,000 miles\* or 5 years of service protection
- Ethylene glycol based. Silicate, borate, nitrite and amine free
- Superior high-temperature aluminum protection
- Provides maximum protection against rust, corrosion, and pitting
- Blended with pure de-ionized water for your quality needs
- For safety purposes all iLAST antifreeze is blended with a bittering agent

### Specifications

iLast EURO BLUE Antifreeze is blended with proprietary additives designed to safely meet the performance specifications of (but not limited to): ASTM D3306, D7583, D6210-10 and BS 6580 and compatible with VW TL774G+.



V251121

## TYPICAL PROPERTIES

DESCRIPTION	TYPICAL VALUES	TEST METHOD	BOIL OVER PROTECTION		
Appearance	Visual	Blue	Type of Coolant Test	Atmospheric Pressure	15 LB cap
Specific Gravity at 60/60°F	1.060 – 1.080	ASTM D1122	Coolant Boiling	262°F	265°F
Freeze Point, at 50% max	-34°F	ASTM D3321	Cooling Freezing	-34°F	-34°F
pH at 50% Solution	7.8 – 9.0	ASTM D1287			
Reserve Alkalinity min.	1.5	ASTM D1121			
Foam volume (ml)	150ml/5 sec	ASTM D1881			

Available in Gallons, Drums, Totes, and Bulk.